Certificate Number 20140312-E258930

Report Reference E258930-20140308

Issue Date 2014-MARCH-12

Issued to: WENZHOU LONGHUA DAILY ELECTRON CO LTD

3 BLDG, PART C

XIXI INDUSTRY ZONE

HONGQIAO YUEQING

ZHEJIANG 325608 CHINA

This is to certify that POSITIONING DEVICES representative samples of See Addendum

 \smile

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62275, Cable Management Systems – Cable Ties for

Electrical Installations

CSA-C22.2 No. 62275-10, Cable Management Systems -

Cable Ties for Electrical Installations,

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and

"US" identifiers: ^c(U) us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC

William R. Carney

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

Certificate Number 20140312-E258930

Report Reference E258930-20140308

Issue Date 2014-MARCH-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Cable Tie

LH-M-080-3, LH-S-160-6, LH-S-550-21, LH-EHD-450-18, LH-M-100-4, LH-S-180-7, LH-S-920-36, LH-EHD-500-20, LH-M-120-5, LH-S-190-8, LH-HD-150-6, LH-EHD-550-21, LH-M-130-5, LH-S-200-8, LH-HD-200-8, LH-EHD-560-22, LH-M-150-6, LH-S-250-10, LH-HD-220-8, LH-EHD-610-24, LH-M-160-6, LH-S-280-11, LH-HD-250-10, LH-EHD-760-30, LH-M-200-8, LH-S-290-12, LH-HD-280-11, LH-EHD-780-31, LH-M-260-10, LH-S-300-12, LH-HD-300-12, LH-EHD-810-32, LH-M-380-15, LH-S-310-12, LH-HD-350-14, LH-EHD-920-36, LH-I-140-5, LH-S-350-14, LH-HD-365-14, LH-EHD-1220-48, LH-I-150-6, LH-S-360-14, LH-HD-380-15, LH-HSD-530-21, LH-I-180-7, LH-S-370-15, LH-HD-400-16, LH-HSD-650-26, LH-I-200-8, LH-S-380-15, LH-HD-450-18, LH-HSD-1000-34, LH-I-250-10, LH-S-390-16, LH-HD-500-20, LH-HSD-1030-35, LH-I-280-11, LH-S-400-16, LH-HD-540-21, LH-R-S-160-6, LH-I-300-12, LH-S-430-17, LH-HD-550-22, LH-R-S-200-8, LH-I-370-15, LH-S-450-18, LH-HD-750-30, LH-R-S-300-12, LH-S-120-5, LH-S-500-20, LH-EHD-400-16, LH-R-S-370-14

Screw Mount

LH-MT-I-150-6, LH-MT-S-370-14, LH-MT-S-160-6, LH-MT-HD-300-12, LH-MT-S-200-8, LH-MT-HD-400-15, LH-MT-S-300-12

Releasable (Cable Tie Only)

LH-R-SH-150-6, LH-R-SH-300-12, LH-R-SH-200-8, LH-R-SH-370-14, LH-R-SH-250-10

Identification Tag (Cable Tie Only)

LH-M-M-100-4, LH-M-S-200-8

Push Mount

LH-PT-M-100-4, LH-PT-S-130-5, LH-PT-S-200-8, LH-PT-S-200-8(W), LH-PT-S-100-4

Screw Mounted Fixing Device

LH-MP-20-3/4, LH-MP-30-1

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

Certificate Number 20140312-E258930

Report Reference E258930-20140309

Issue Date 2014-MARCH-12

Issued to: WENZHOU LONGHUA DAILY ELECTRON CO LTD

3 BLDG, PART C

XIXI INDUSTRY ZONE

HONGQIAO YUEQING

ZHEJIANG 325608 CHINA

This is to certify that representative samples of

POSITIONING DEVICES

See Addendum

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62275, Cable Management Systems – Cable Ties for

Electrical Installations

CSA-C22.2 No. 62275-10, Cable Management Systems -

Cable Ties for Electrical Installations,

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and

"US" identifiers: ^c(U) us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

William R. Carney

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

Certificate Number 20140312-E258930

Report Reference E258930-20140309

Issue Date 2014-MARCH-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Cable Tie

LH-M-080-3-HS, LH-S-280-11-HS, LH-HD-400-16-HS, LH-M-100-4-HS, LH-S-290-12-HS, LH-HD-450-18-HS, LH-M-120-5-HS, LH-S-300-12-HS, LH-HD-500-20-HS, LH-M-130-5-HS, LH-S-310-12-HS, LH-HD-540-21-HS, LH-M-150-6-HS, LH-S-350-14-HS, LH-HD-550-22-HS, LH-M-160-6-HS, LH-S-360-14-HS, LH-EHD-400-16-HS, LH-M-200-8-HS, LH-S-370-15-HS, LH-EHD-450-18-HS, LH-I-140-5-HS, LH-S-380-15-HS, LH-EHD-500-20-HS, LH-I-150-6-HS, LH-S-390-16-HS, LH-EHD-550-21-HS, LH-I-180-7-HS, LH-S-400-16-HS, LH-EHD-560-22-HS, LH-I-200-8-HS, LH-S-430-17-HS, LH-EHD-610-24-HS, LH-I-250-10-HS, LH-S-450-18-HS, LH-EHD-760-30-HS, LH-I-280-11-HS, LH-S-500-20-HS, LH-EHD-780-31-HS, LH-I-300-12-HS, LH-HD-150-6-HS, LH-EHD-810-32-HS, LH-I-370-15-HS, LH-HD-200-8-HS, LH-EHD-920-36-HS, LH-S-120-5-HS, LH-HD-220-8-HS, LH-EHD-1220-48-HS, LH-S-160-6-HS, LH-HD-250-10-HS, LH-HSD-530-21-HS, LH-S-180-7-HS, LH-HD-280-11-HS, LH-HSD-650-26-HS, LH-S-190-8-HS, LH-HD-300-12-HS, LH-HSD-1000-34-HS, LH-S-200-8-HS, LH-HD-350-14-HS, LH-HSD-1030-35-HS, LH-S-250-10-HS, LH-HD-365-14-HS, LH-R-S-200-8-HS, LH-HD-380-15-HS, LH-R-S-300-12-HS

Screw Mount

LH-MT-S-200-8-HS, LH-MT-HD-400-15-HS

Releasable

LH-R-SH-150-6-HS, LH-R-SH-200-8-HS

Identification Tag

LH-M-M-100-4-HS, LH-M-S-200-8-HS

Push Mount

LH-PT-M-100-4-HS, LH-PT-S-200-8-HS

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at www.ul.com/contactus



Certificate Number 20140312-E258930

Report Reference E258930-20140310

Issue Date 2014-MARCH-12

Issued to: WENZHOU LONGHUA DAILY ELECTRON CO LTD

3 BLDG, PART C

XIXI INDUSTRY ZONE

HONGQIAO YUEQING

ZHEJIANG 325608 CHINA

This is to certify that representative samples of

POSITIONING DEVICES

See Addendum

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62275, Cable Management Systems – Cable Ties for

Electrical Installations

CSA-C22.2 No. 62275-10, Cable Management Systems -

Cable Ties for Electrical Installations,

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and

"US" identifiers: ^c(U) us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

William R. Carney

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

(U_L)

Certificate Number 20140312-E258930

Report Reference E258930-20140310

Issue Date 2014-MARCH-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Cable Tie

LH-M-080-3-HT, LH-S-280-11-HT, LH-HD-400-16-HT, LH-M-100-4-HT, LH-S-290-12-HT, LH-HD-450-18-HT, LH-M-120-5-HT, LH-S-300-12-HT, LH-HD-500-20-HT, LH-M-130-5-HT, LH-S-310-12-HT, LH-HD-540-21-HT, LH-M-150-6-HT, LH-S-350-14-HT, LH-HD-550-22-HT, LH-M-160-6-HT, LH-S-360-14-HT, LH-HSD-530-21-HT, LH-M-200-8-HT, LH-S-370-15-HT, LH-HSD-650-26-HT, LH-I-140-5-HT, LH-S-380-15-HT, LH-HSD-1000-34-HT, LH-I-150-6-HT, LH-S-390-16-HT, LH-HSD-1030-35-HT, LH-I-180-7-HT, LH-S-400-16-HT, LH-S-200-8-HT, LH-I-200-8-HT, LH-S-430-17-HT, LH-M-R-S-300-12-HT, LH-I-250-10-HT, LH-S-450-18-HT, LH-I-280-11-HT, LH-S-500-20-HT, LH-I-300-12-HT, LH-HD-150-6-HT, LH-I-370-15-HT, LH-HD-200-8-HT, LH-S-120-5-HT, LH-HD-220-8-HT, LH-HD-350-14-HT, LH-S-200-8-HT, LH-S-190-8-HT, LH-HD-350-14-HT, LH-S-200-8-HT, LH-HD-365-14-HT, LH-S-250-10-HT, LH-HD-380-15-HT

Screw Mount

LH-MT-S-200-8-HT, LH-MT-HD-400-15-HT

Releasable

LH-R-SH-150-6-HT, LH-R-SH-200-8-HT

Identification Tag

LH-M-M-100-4-HT, LH-M-S-200-8-HT


Push Mount

LH-PT-M-100-4-HT, LH-PT-S-200-8-HT

William R. Carney

William R. Carney, Director, North American Certification Programs

UL LLC



Certificate Number 20140312-E258930

Report Reference E258930-20140311

Issue Date 2014-MARCH-12

Issued to: WENZHOU LONGHUA DAILY ELECTRON CO LTD

3 BLDG, PART C

XIXI INDUSTRY ZONE

HONGQIAO YUEQING

ZHEJIANG 325608 CHINA

This is to certify that representative samples of

POSITIONING DEVICES

See Addendum

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62275, Cable Management Systems – Cable Ties for

Electrical Installations

CSA-C22.2 No. 62275-10, Cable Management Systems -

Cable Ties for Electrical Installations

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and

"US" identifiers: ^c(U) us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

William R. Carney

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

20140312-E258930 Certificate Number E258930-20140311 Report Reference 2014-MARCH-12 **Issue Date**

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Cable Tie

LH-M-080-3-UVB, LH-S-280-11-UVB, LH-HD-400-16-UVB, LH-M-100-4-UVB, LH-S-290-12-UVB, LH-HD-450-18-UVB, LH-M-120-5-UVB, LH-S-300-12-UVB, LH-HD-500-20-UVB, LH-M-130-5-UVB, LH-S-310-12-UVB, LH-HD-540-21-UVB, LH-M-150-6-UVB, LH-S-350-14-UVB, LH-HD-550-22-UVB, LH-M-160-6-UVB, LH-S-360-14-UVB, LH-HD-750-30-UVB, LH-M-200-8-UVB, LH-S-370-15-UVB, LH-EHD-400-16-UVB, LH-M-260-10-UVB, LH-S-380-15-UVB, LH-EHD-450-18-UVB, LH-M-380-15-UVB, LH-S-390-16-UVB, LH-EHD-500-20-UVB, LH-I-140-5-UVB, LH-S-400-16-UVB, LH-EHD-550-21-UVB, LH-I-150-6-UVB, LH-S-430-17-UVB, LH-EHD-560-22-UVB, LH-I-180-7-UVB, LH-S-450-18-UVB, LH-EHD-610-24-UVB, LH-I-200-8-UVB, LH-S-500-20-UVB, LH-EHD-760-30-UVB, LH-I-250-10-UVB, LH-S-550-21-UVB, LH-EHD-780-31-UVB, LH-I-280-15-UVB, LH-S-920-36-UVB, LH-EHD-810-32-UVB, LH-I-300-12-UVB, LH-HD-150-6-UVB, LH-EHD-920-36-UVB, LH-I-370-15-UVB, LH-HD-200-8-UVB, LH-EHD-1220-48-UVB, LH-S-120-5-UVB, LH-HD-220-8-UVB, LH-HSD-530-21-UVB, LH-S-160-6-UVB, LH-HD-250-10-UVB, LH-HSD-650-26-UVB, LH-S-180-7-UVB, LH-HD-280-11-UVB, LH-HSD-1000-34-UVB, LH-S-190-8-UVB, LH-HD-300-12-UVB, LH-HSD-1030-35-UVB, LH-S-200-8-UVB, LH-HD-350-14-UVB, LH-R-S-160-6-UVB, LH-S-250-10-UVB, LH-HD-365-14-UVB, LH-R-S-200-8-UVB, LH-HD-380-15-UVB, LH—R-S-300-12-UVB, LH-R-S-370-14-UVB

Screw Mount

LH-MT-I-150-6-UVB, LH-MT-S-370-14-UVB, LH-MT-S-160-6-UVB, LH-MT-HD-300-12-UVB, LH-MT-S-200-8-UVB, LH-MT-HD-400-15-UVB, LH-MT-S-300-12-UVB

Releasable

LH-R-SH-150-6-UVB, LH-R-SH-300-12-UVB, LH-R-SH-200-8-UVB, LH-R-SH-370-14-UVB, LH-R-SH-250-10-UVB

Identification Tag

LH-M-M-100-4-UVB, LH-M-S-200-8-UVB

Push Mount

LH-PT-M-100-4-UVB

William R. Carney

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL contact a local UL Customer Service Representative at www.ul.com/contactus



Certificate Number 20140312-E258930

Report Reference E258930-20140312

Issue Date 2014-MARCH-12

Issued to: WENZHOU LONGHUA DAILY ELECTRON CO LTD

3 BLDG, PART C

XIXI INDUSTRY ZONE

HONGQIAO YUEQING

ZHEJIANG 325608 CHINA

This is to certify that representative samples of

POSITIONING DEVICES

See Addendum

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62275, Cable Management Systems – Cable Ties for

Electrical Installations

CSA-C22.2 No. 62275-10, Cable Management Systems -

Cable Ties for Electrical Installations,

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and

"US" identifiers: ^c(U) us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

William R. Carney

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



Certificate Number
Report Reference
Issue Date

20140312-E258930 E258930-20140312 2014-MARCH-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Stainless Steel Cable Tie

LH-SS-S, LH-SS-H, LH-SS-EH

Coated Stainless Steel Cable Tie

LH-SS-S-C, LH-SS-H-C

William R. Carney

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CONCLUSION

Samples of the products covered by this Report have been found to comply with the requirements covering the category and the products are found to comply with UL's applicable requirements. The description and test result in this Report are only applicable to the sample(s) investigated by UL and does not signify UL certification or that the product(s) described are covered under UL's Follow-Up Service Program. When covered under UL's Follow-Up Service Program, the manufacturer is authorized to use the UL Listing Mark on such products which comply with UL's Follow-Up Service Procedure and any other application requirements of UL LLC. The Listing Mark of UL LLC on the product, or the UL symbol on the product and the Listing Mark on the smallest unit container in which the product is packaged, is the only method to identify products investigated by UL to published requirements and manufactured under UL's Listing and Follow-Up Service.

This Report is intended solely for the use of UL and the Applicant for establishment of UL certification coverage of the product under UL's Follow-Up Service. UL retains all rights, title and interest (including exclusive ownership) in this Report and all copyright therein. Unless expressly authorized in writing by UL, the Applicant shall not disclose or otherwise distribute this Report or its contents to any third party or use this Report for any purpose other than to establish UL certification and become eligible for Follow-Up Service for the product(s) described in this Report. Any other use of this Report including without limitation, evaluation or certification by a party other than UL unless part of a certification scheme, is prohibited and renders the Report null and void. UL shall not incur any obligation or liability for any loss, expense, or punitive damages, arising out of or in connection with the use or reliance upon the contents of this Report to anyone other than the Applicant as provided in the agreement between UL and Applicant. Any use or reference to UL's name or certification mark(s) by anyone other than the Applicant in accordance with the agreement is prohibited without the express written approval of UL or any authorized licensee of UL. Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. UL shall not otherwise be responsible to anyone for the use of or reliance upon the contents of this Report.

Report by:

NICHOLAS COLAPIETRO Senior Project Engineer